


Figure 2B

The PVDF membrane was initially stained with PAR2 antibody



The same membrane was subsequently stained with GAPDH antibody and exposed again





Figure 2D

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds





Figure 2F Heart

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds





Figure 2F Liver

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds





Figure 2F SM

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds




Figure 3C




Figure 3F





Figure 4B

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds





Figure 4F

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The membrane was then stained with GAPDH antibody and exposed for 5 mins





Figure 4F

The PVDF membrane was initially stained with P-Akt antibody and exposed for 1 min



The same membrane was then stained with t-Akt antibody and exposed for 1 min





Figure 4G

The PVDF membrane was initially stained with P-Akt antibody and exposed for 1 min



The same membrane was then stained with t-Akt antibody and exposed for 1 min





Figure 4G

The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins



The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds




Figure 5B




Figure 5D





Figure 6C






Figure 6E


The PVDF membrane was initially stained with LPL antibody and exposed for 5 mins




The same membrane was subsequently stained with GAPDH antibody and exposed for 5 seconds




Supplemental Figure 1A



Supplemental Figure 3A



Supplemental Figure 4A



Supplemental Figure 4B

